

3(9)

SOV/26-59-5-27/47

AUTHOR: Znamenskiy, Yu.P., Leningrad

TITLE: Underwater Observations to Assist Science

PERIODICAL: Priroda, 1959, Nr 5, pp 102 - 106 (USSR)

ABSTRACT: The author refers to the submarine laboratory equipped by the Vsesoyuznyy nauchno-issledovatel'skiy institut morskogo rybnogo khozyaystva i okeanografii (All Union Institute for Scientific Research in Sea Fisheries and Oceanography) (VNIRO). It was installed in a converted submarine of the Soviet Navy and is now equipped with instruments for collecting samples of sea water and sea beds, with hydrolocators, underwater TV sets, searchlights, photographic and cinema installations. The author considers that this laboratory cannot completely replace the work of individual research. The latter, as a profession and trade, has been known for 2,000 years in the Mediterranean and

Card 1/3

SOV/26-59-5-27/47

Underwater Observations to Assist Science

in the East, but modern equipment has enabled individual research to be carried out at a depth greater than 30 m and for periods of several hours, instead of minutes. In the Sektsiya podvodnogo plavaniya Leningradskogo voyenno-morskogo kluba (Underwater Swimming Section of the Leningrad Naval Club of DOSAAF) a number of enthusiasts are developing underwater exploration as a sport. Some of the more outstanding members are Designers Iu.N. Pozdnyakov and S.N. Korshunov; Mechanics P.L. Stepanov and N.M. Ginzburg (designed an underwater rifle); V.I. Kebkalo and Yu.V. Vasil'yev (constructed underwater cameras). A similar section was formed at the Moskovskiy gosudarstvennyy universitet (Moscow State University). Among the better-known apparatuses there are: "Underwater DOSAAF-1" and "Underwater DOSAAF-2" ("Podvodnik-DOSAAF-1", "Podvodnik DOSAAF-2"). Another apparatus "Ukraine" was constructed by A.S. Gnamm. These apparatuses and

Card 2/3

SOV/26-59-5-27/47

Underwater Observations to Assist Science

other underwater devices are going into mass production. The author describes extensive research at fisheries, the filming of archaeological discoveries made underwater in all parts of the world, including the USSR sections of the Black and Baltic Seas, Caspian Sea, Sea of Azov, Aral Sea, and in the Pacific. There are 3 photographs and 10 Soviet references.

Card 3/3

ZNAMENSKIY, Yu.P (Leningrad)

"Conquest of the deep" by M.W.Dionidov, A.N.Dmitriev. Re-
viewed by IU.P.Znamenski. Priroda no.6:120 Je '60.
(MIRA 13:6)

(Oceanographic research)
(Dionidov, M.W.) (Dmitriev, A.N.)

ZIVAYEVSKIY, L. P.

ZNAMENSKIY, Yu. P. (Leningrad).

"Science and life on the screen." Nauka i zhizn' 24 no.10:50 0 '57.
(Motion pictures, Documentary) (MLBA 10:11)

ZNAMENSKIY, Yu.P. (Leningrad)

"To the amateur photographer and tourist" by K.V. Vendrovskii,
B.I. Zhutovskii. Reviewed by IU.P. Znamenskii. Priroda 51 no.7:91
Jl '62. (MIRA 15:9)

(Nature photography) (Vendrovskii, K.V.)
(Zhutovskii, B.I.)

ZNAMENSKIY, Yu.P. (Leningrad)

Footsteps of life. Priroda 52 no.7:120-122 J1 '63. (MIRA 16:8)
(Motion pictures, Documentary) (Biology--Audio-visual aids)

ZNAMENSKIY, Yn.P. (Leningrad)

"From silent to panoramic motion pictures" by E.M. Goldovskii.
Reviewed by Iu.P. Znamenskii. Priroda 50 no. 11:59 N '61.

(MIRA 14:10)

(Motion picture) (Goldovskii, E.M.)

ZNAMENSKIY, Yu.P., (Leningrad)

Conditioned reflexes and the training of animals. in motion
pictures and on a circus arena. Priroda 52 no. 9:36-44 '63.
(MIRA 16:11)

ZNAMENSKIY, Yu.P. (Leningrad)

Discovery of the sixth continent; survey of literature on under-
water swimming and exploration. Priroda 50 no.7:122 J1 '61.

(MIRA 14:6)

(Diving, Submarine)

ZNAMENSKIY, Yu.P.

Motion picture "A story of prefabricated reinforced concrete."
Politekh.obuch. no.6:86-87 Je '57. (MIRA 12:4)
(Motion pictures, Documentary)

ZNAMEESKIY, Yu.P. (Leningrad)

Underwater observations serve science. Priroda 48 no.5:102-106
My '59. (MIRA 12:5)

(Diving, Submarine)

2 N 4 P 1 0 S 1 1 1, Y 0 1 1
ZNAMENSKIY, Yu. P.

Motion pictures and technical education . Politekh. obuch. no. 1:40-49
Ja '58. (MIRA 10:12)
(Motion pictures in education) (Technical education)

GOL'DBERG, N.A.; ZNAMENSKIY, Yu.D

Nitridation kinetics of calcium carbide. Dokl. AN SSSR 120
no. 1:148-150 Ky-Je '58. (MIRA 11:7)

1. Gosudarstvennyy nauchno-issledovatel'skiy i proyektnyy institut
azotnoy promyshlennosti. Predstavleno akademikom S.I.Vol'fkovichem.
(Calcium carbide)
(Case hardening)

ZHAMENSKIY, Yu.D.
GOL'DBERG, N.A.; ZHAMENSKIY, Yu.D.

Nitration kinetics of calcium carbide as related to
granulometric composition. Dokl. AN SSSR 110 no.6:
1048-1052 0 '56.

(MLRA 10:2)

1. Gosudarstvennyy nauchno-issledovatel'skiy i proyektnyy institut
azotnoy promyshlennosti. Predstavleno akademikom S.I. Vol'fkovichem.
(Calcium carbide) (Nitration)

ZNAMENSKIY, Yu.P., nauchnyy rabotnik.

Marine algae. Nauka i pered.op. v sel'khoz. 7 no.8:38-39 '57.
(MIRA 10:9)

(Algae)

ZNAMENSKIY, Yu. P.
AUTHOR: Znamenskiy, Yu.P. (Leningrad) 25-10-22/41
TITLE: "Science and Life on the Screen" ("Nauka i Zhizn' na ekrane")
PERIODICAL: Nauka i Zhizn', 1957, # 10, p 50 (USSR)
ABSTRACT: The film section of the Leningrad House of Scientists imeni M. Gor'kiy of the USSR Academy of Sciences started to issue a film almanac "Nauka i zhizn' na ekrane". The authors are Leningrad film amateurs. Filming for the almanac is done by the amateurs with 16 mm film cameras on reversible films. Very soon amateur sound moving pictures will be possible by applying to the film a magnetic layer. The sound is reproduced by a tape recorder head installed in the film projector.
A new narrow film camera "KNEB-16-C-2" has been produced for film amateurs. Its weight is 1,5 kg; the length of one film amounts to 15 m; its two installed objectives can be used alternatively; filming can be done at a rate of 16, 24, 32, 48 and 64 frames per second.
There is one photograph.
AVAILABLE: Library of Congress
Card 1/1

AUTHOR: Znamenskiy, Yu.P. (Leningrad) SOV-25-58-9-39/62
TITLE: Submarine Agriculture (Podvodnoye zemledeliye)
PERIODICAL: Nauka i zhizn', 1958, Nr 9, p 68 (USSR)
ABSTRACT: The utilization of different sea weeds in various branches of industry is described. Laminariaceae and rockweeds are widely used as food for livestock. Some weed species are used in industry as raw material from which alcohol, alginates, ethers and acetic acid are extracted. From the agar-bearing weeds, agar-agar and "6-atom spirit" (mannite) are extracted. Rockweeds are used as a stabilizer of drilling fluids in the drilling of oil wells. The addition of these weeds keeps the boring bits from becoming clay encrusted.

1. Aquatic plants--Applications

Card 1/1

ZHAMENSKIY, Yu. P. (Ukhta, Komi ASSR)

~~*****~~

Fresh-water pearls. Priroda 44 no.8:109-110 Ag '55. (MIRA 8:10)
(Pearl fisheries)

ZNAMENSKIY, Yu.P. (gorod Ukhta Komi ASSR).

Young naturalists of the far North. Mat.v shkole no.2:83-84

Mr-Apr '54.

(MLBA 7:3)

(Russia, Northern--Vegetable gardening)

(Vegetable gardening--Russia, Northern)

ZNAMENSKIY, Yu.P. (Leningrad)

Underwater agriculture. Nauka i zhizn' 25 no.9:68 S '58.
(Algae--Economic aspects) (IRA 11:10)

ZNAMENSKY, M.S.; ODARYUK, T.S.

Homotransplantation of arteries based on total blood exchange to overcome tissue incompatibility. (Experimental study). Acta chir. plast. (Praha) 7 no.3:228-235 '65.

1. Department of Surgery and Regional Anatomy, Kirghiz State Medical Institute, Frunze (USSR) (Director: Prof. M.S. Znamensky).

ANTONOVSKAYA, M.A.; ZNAMENYUK, R.T.

Coordinated conference on the problem of "Mechanization and
automatization of coal and other ore mine surfaces." Izv.AN
SSSR.Otd.tekh.nauk.Met.i topl. no.3:149-150 My-Je '60.
(MIRA 13:6)

(Mining engineering--Congresses)

(Automatic control--Congresses)

BYKHOVSKIY, Izrail' Adol'fovich. Prinsipali uchastiye: AL'EMOVICH, A.V.,
inzh.; YEFIMOV, K.A.; KRASIN, A.K., prof., doktor tekhn. nauk,
retsensent; ZHAMEPOVSKIY, B.P., kand. tekhn. nauk, retsensent; KU-
DINOV, N.N., inzh., retsensent; MISHKEVICH, G.I., red.; SHISHKOVA,
L.M., tekhn. red.

[Atomic ships] Atomnye suda. Pod red. N.N.Kudinova. Leningrad, Gos.
soluznoe izd-vo sudostroit. promyshl., 1961. 310 p. (MIRA 14:9)
(Atomic ships)

BEZUKLADOV, V.P., inzh.; ZNAMEROVSKIY, B.P., inzh.

Tuna fishing vessel. Sudostroenie 28 no.3:1-4 Mr '62.
(Trawls and trawling) (Tuna fish) (MIRA 15:4)

VLADIMIROV, B.M.; ZNAMEROVSKIY, V.N.

Kimberlite pipe in the south of the Siberian Platform. Dokl.
AN SSSR 139 no.2:438-441 J1 '61. (MIRA 14:7)

1. Vostochno-Sibirskiy geologicheskoy institut Sibirskogo otdeleniya
AN SSSR. Predstavleno akademikom D.I. Shcherbakovym.
(Belaya Zima Valley--Kimberlite)

ZHAMIEROWSKA, Monika.

Neurological indications for abortion; discussion. Neur. &c. polska
7 no.2:245-253 Mar-Apr 57.

1. Z Kliniki Neurologicznej A. M. w Poznaniu Kierownik: prof dr. A.
Dowzenko. Adres: Poznan, Trottgera 14 m. 4.
(NERVOUS SYSTEM, in pregnancy,
ther. abortion (Pol))
(ABORTION, THERAPEUTIC, in var. dis.
neuro. dis. (Pol))

DOBEK, Maria; RUDNICKA, Maria; ZNAMIEROWSKA, Monika

Level of penicillin in the cerebrospinal fluid during therapy of neurosyphilis. Neur. &c. polska 6 no.3:321-328 May-June 56.

1. Z Klin. Neurolog. A.M. w Poznaniu, kier. prof. dr. A. Dowzenko. Z Zakladu Mikrobiol. A.M. w Poznaniu, kier. prof. dr. J. Adamski.

(PENICILLIN, in cerebrospinal fluid,
in ther. of neurosyphilis (Pol))

(CEREBROSPINAL FLUID,
penicillin, in ther. of neurosyphilis (Pol))

(NEUROSYPHILIS, therapy,
penicillin, retention rate in CSF (Pol))

ZNAMIEROWSKA-KOZIK, Monika

Electroencephalographic studies on genetic aspects of epilepsy.
Pozn. tow. przyjac. nauk wydz. lek. 27:341-371 '64.

ZNAMIROVSKI, V.

Determination of the H-D isotope effects by measurement of the vanadium electrode potential. Studii cerc fiz 14 no.3:233-237 '63.

1. Universitatea "Babeş-Bolyai", Cluj, Laboratorul de fizica atomica.

ZNAMIROVSKI, V.

The H-D isotopic effects in the behavior of electrodes with palladium powder. Studii cerc fiz 15 no. 2:247-251 '64.

1. The "Babes-Bolyai" University, Cluj.

ZNAMIROVSKI, V.

Determining the isotopic effects H-D by measuring the potential of tantalum electrode. Studii cerc fiz 13 no.5:765-773 '62.

1. Universitatea "Babes-Bolyai", Cluj.

ZNAMIROVSKIY, V.N.

Mercurial mineralization in the South of the Siberian Platform.
Dokl. AN SSSR 148 no.3:684-685 Ja '63. (MIRA 16:2)

1. Irkutskoye geologicheskoye upravleniye. Predstavleno akademikom D.I. Shcherbakovym.
(Siberian Platform--Mercury ores)

NIKLEWICZ-RODKIEWICZ, Jadwiga; ZNAMIROWSKA, Krystyna; SZWABOWICZ,
Krystyna

Evaluation of the trafuril reaction in rheumatic fever in
children. Reumatologia (Warsz.) 1 no.2:133-135 '63.

1. Z Wojewodzkiego Ośrodka Reumatologicznego w Sopocie
(dyrektor: dr J. Titz-Kosko).

ZNAMIROWSKI J.

ZNAMIROWSKI, J.

On the margin of the art of power; a review of a play.

p. 15 (Zolniers Polski) No. 22, Oct. 1957, Warszawa, Poland

SO: MONTHLY INDEX OF EAST EUROPEAN ACCESSIONS (EEAI) LC, VOL. 7, NO. 1, JAN. 1958

[POLAND

SZTABA, Romuald and ZNAMIROWSKI, Ryszard, Clinic of Child Surgery (Klinika Chirurgii Dziecięcej) in Gdansk (Director: Assoc. Prof., Dr. med. Romuald SZTABA)

"Tuberculosis of Mesenteric Nodes and Peritoneum in Children."

Warsaw, Polski Tygodnik Lekarski, Vol 18, No 12, 18 Mar 63, pp 417-420.

Abstract: [Authors' English summary] Authors report their observations concerning 18 children with tuberculosis of the peritoneum and of the mesenteric nodes. The etiopathogenesis, signs, and treatment are reported. In only one case did the x ray examinations reveal specific changes in the lung tissue. In most cases tuberculosis of the digestive tract may be presumed. Authors stress the role of the tuberculosis of the mesenteric nodes in the abdominal pains of the children. The 18 references include 6 Polish, 7 French, 4 German, and one (1) English source.

[1/1

ZNAMIROWSKI, Ryszard

Healing of traumatic lesions of the skull in children. Pol. przegl.
chir. 36 no.12:1429-1435 D '64

1. Z Kliniki Chirurgii Dziecięcej Akademii Medycznej w Gdansk.
(Kierownik: dr. R. Sztaba).

SZTABA, Romuald; KRYNSKI, Stefan; MOLLARET, Henri; CYNOWSKI, Lucjan;
ZNAMIROWSKI, Ryszard.

Pseudotuberculous infection of the mesenteric nodes in
children. Pol. tyg. lek. 18 no.31:1149-1153 29 JI '63.

1. Z Kliniki Chirurgii Dziecięcej AM w Gdansk; kierownik:
dr med. R. Sztaba, z Zakładu Mikrobiologii AM w Gdansk;
kierownik: prof. dr St. Krynski, z Zakładu Dzwiny Instytutu
Pasteura w Paryżu; kierownik: dr J. Fournier i z Zakładu
Anatomii Patol, Szpitala Wojewodzkiego w Gdansk; kierownik:
dr L. Cynowski.

(PASTEURELLA INFECTIONS)
(MESENTERIC LYMPHADENITIS)

SZTABA, Romuald; ZNAMIROWSKI, Ryssard

Tuberculosis of the mesenteric nodes and peritoneum in children (according to observations on our cases). Pol. tyg. lek. 18 no.12:417-420 18 Mr '63.

1. Z Kliniki Chirurgii Dziecięcej w Gdansk; kierownik: s-ca prof. dr med. Romuald Sztaba.

(TUBERCULOSIS IN CHILDHOOD)
(TUBERCULOSIS, LYMPH NODE)

ZBAMROWSKI, Ryszard

Partial excision of the kidney in children. Polski przegl.
chir. 32 no. 5:459-463 Ky '60.

1. Z Oddziału Chirurgii Dziecięcej Akademii Medycznej w Gdańsku,
Kierownik Oddziału: s-ca prof. dr. R. Sztaba.
(NEPHRECTOMY in inf. & child)

ZNAN

Boring.

Double-shaft boring. Sila no. 3:36 Nr '52.

9. Monthly List of Russian Accessions, Library of Congress, July 1952 ~~1953~~, Uncl.

S/194/62/000/004/065/105
D295/D308

AUTHORS: Varlamov, M. L., Krichevskaya, Ye. L., Manakin, G. A.,
Znan, A. A., Kozakova, L. M. and Zorozhek, L. S.

TITLE: Investigation of the acoustical coagulation of aerosols formed in chemical factories

PERIODICAL: Referativnyy zhurnal, Avtomatika i radioelektronika, no. 4, 1962, abstract 4-5-38g (V sb. Primeneniye ul'traakust. k issled. veshchestva. no. 12, M., 1960, 199-204)

TEXT: The coagulation of mists of sulphuric acid, of solutions of ammonium nitrate and nitride, of silicon-fluorhydric acid and coal-dust was investigated. Mists were precipitated in horizontal tubes of 45 mm diameter and 500 - 950 mm length, and dusts in vertical tubes. ПС-2 (GS-2) generators, with a separating membrane of thin rubber, were used for sound-irradiating the gas. Coagulation monitoring was carried out by chemical and nephelometric control methods, as well as by determining the numerical concentration of

Card 1/2

Investigation of the ...

S/194/62/000/004/065/105
D295/D308

particles by means of the УМФ-3 (UMF-3) ultramicroscope. The concentration of H_2SO_4 mist amounted to 0.3 - 10.6 g/cm³; at an \angle ir-
radiation \angle level of 153 - 155 dB for the duration of 4 - 5 sec the \angle
degree of coagulation reaches 97 - 99%. The best results were obtained at frequencies of 16 and 22 kc/s. Data were presented on coagulation of mists containing fluorine compounds. \angle Abstracter's
note: Complete translation. \angle

Card 2/2

ZNANIECKI, P.

"Remarks on the Production of Pigs on Industrial Farms." p. 50,
(GOSPODARAKA MIESNA, Vol. 6, No. 2, Feb. 1954. Warszawa, Poland.)

SO: Monthly List of East European Accessions, (SEAL), LC,
Vol. 3, No. 12, Dec. 1954, Uncl.

ZNANSKI, J.

Rock bursts appearing simultaneously with earthquakes. p. 500.

PRZEGLAD GORNICZY. (Stowarzyszenie Naukowo-Techniczne Inzynierow i
Technikow Gornictwa) Katowice. Poland.
Vol. 15, no. 10/ 11, Oct./Nov. 1959.

Monthly List of East European Accessions (EEAI) IC, Vol. 9, no. 2, Feb. 1959.

Uncl.

ZNANSKI, J.

"Tendency of Rocks to Burst", P. 225, (ARCHIWUM GORNICTWA I HUTNICOSTWA,
Vol 2, No. 2, 1954, Warszawa, Poland)

SO: Monthly List of East European Accessions, (EEAL), LC, Vol. 4, No. 5,
May 1955, Uncl.

KORBEL, Kazimierz; PIEKARZ, Jerzy; PRZEWLOCKI, Kazimierz; GRANZKI, Jozef

Radioisotopic measurements of flowing sand-water mixtures in pipelines by means of scintillation counters. Archiw gorn 7 no.1:49-58 '62.

ZHANSKI, J.

Short-wall system in seams liable to rock bursting.p. 205

Vol. 11, no. 6, June 1955 PRZEGLAD GORNICZY

So:MONTHLY LIST OF EAST EUROPEAN ACCESSIONS, (EEAL), LC, Vol. 4, No.9,
Sept. 1955, Uncl.

"APPROVED FOR RELEASE: 03/15/2001

CIA-RDP86-00513R002065320012-0

APPROVED FOR RELEASE: 03/15/2001

CIA-RDP86-00513R002065320012-0"

ZNANSKI, J.

Fuel Abstracts
Vol. XV, NO.2
Feb. 1954
Natural Solid
Fuels: Winning

✓ 1951. FROM PRESSURE IN LIGHT OF LABORATORY EXPERIMENTS. ZNANSKI, J.
(Stalinograd: Press Gidm. Inst. Ser. "Gorn. chert. inst. Min.), 1953,
Ser. A, Kromsk. 143, 278p.). Coals and carboniferous rocks were compressed
to discover the conditions in which elastic energy is converted into a
sudden release of kinetic energy. These were found to be: close contact
and high friction between sample and base of press, a uniform, dense material
such as durain coal, and the development of high three dimensional stress in
the sample. (L).

"APPROVED FOR RELEASE: 03/15/2001

CIA-RDP86-00513R002065320012-0

APPROVED FOR RELEASE: 03/15/2001

CIA-RDP86-00513R002065320012-0"

ZHATKOV, S.

Innovators of a metal-working plant. Metallurg / no.7:38-39
Jl '62. (MIRA 15:7)
(Metalwork--Industrial innovations)

ЗНАТОКОВА, Т. Н.

ZNATOKOVA, T. N.

"Laws Governing Pressing and Baking of Copper-Reinforced
Ceramic Goods." Inst of Physical Chemistry of Acad Sci USSR, Zhdanov
Metallurgy Inst, Inst of Metallurgy of Acad Sci USSR, Moscow, 1955.
(Dissertation for the Degree of Candidate in Technical Sciences)

SO:: M-955, 16 Feb 56

"APPROVED FOR RELEASE: 03/15/2001

CIA-RDP86-00513R002065320012-0

APPROVED FOR RELEASE: 03/15/2001

CIA-RDP86-00513R002065320012-0"

"APPROVED FOR RELEASE: 03/15/2001

CIA-RDP86-00513R002065320012-0

APPROVED FOR RELEASE: 03/15/2001

CIA-RDP86-00513R002065320012-0"

NEGREYEV, V.F.; ZHAYCHENKO, S.G.; GARAYEV, Z.Sh.; SHAHTAKHTINSKAYA, G.G.

Protecting the supports of offshore structures from corrosion in
the petroleum industry. Trudy Gipromornefti no.1:144-171 '54.
(Protective coatings)

ZNAYCHENKO, S. G.

Negreyev, V. F. and Znaychenko, S. G. "Fight against corrosion of the base openings of marine mining," Azerbaydzh. neft. khoz-vo, 1948, No. 11, p. 6-7

SO: U-3264, 10 April 53, (Letopis 'Zhurnal 'nykh Statey, No. 4, 1949).

ZNAYEVA, K. I.

191754

USSR/Chemistry - Synthetic Pharmaceuticals Sep 51

"Synthesis of Certain Homologues of Aglucones of Cardiac Glucosides. I. Synthesis of Two Isomeric β -Phenanthryl- $\Delta\alpha$ - β -Butenolides," S. I. Kanevskaya, K. I. Znayeva, All-Union Sci Res Chemicophar Inst imeni S. Ordzhonikidze

"Zhur Obshch Khim" Vol XXI, No 9, pp 1726-1729

In order to test physiol effect of homologues of aglucones of cardiac glucosides contg phenanthryl radical, synthesized β -(3-phenanthryl)- and β -(2-phenanthryl)- $\Delta\alpha$ - β -butenolides, which gave legal reaction like aglucones of cardiac glucosides but lacked physiol effects of latter.

191754

BOZHNEVICH, G.A., kandidat tekhnicheskikh nauk; ELINSON, M.P., kandidat tekhnicheskikh nauk

Bibliography ("Granulated blast furnace slags and slag cement."
P.P. Budnikov, I.L. Znachko-Iavorskiy. Reviewed by G.A. Buzhnevich,
M.P. Elinzon). Tsement 21 no. 2: 27-28 Mr-Apr '55. (MIRA 8:8)
(Slag cement) (Budnikov, P.P.) (Znachko-Iavorskiy, I.L.)

ZNIDARSIĆ, J.

Extended activity of the Yugoslav Union of Radio Amateurs. p. 33.
(Radioamater, Vol. 11, no. 2, Feb. 1957. Beograd, Yugoslavia)

SO: Monthly List of East European Accessions (REAL) IC, Vol. 6, No. 7,
July 1957, Uncl.

ZNIDERSIC, BRANKO.

Prirucnik za polarno iskolicavanje prelaznih krivina u obliku klotoide.
Racunski izveli Aleksandar Mararov i Jaroslav Leskosek. Beograd, Izdavacko
preduzece Ministarstva gradevina FNRJ, 1949. 628 p. (Naucna gradevinska
biblioteka, knj. 4)

SO: EEAL, Vol. 5, No. 7 July 1956

ZNIDERSIC, B.

ZNIDERSIC, B. Critical survey of our technical legislation governing road planning. p. 452.

Vol. 4, No. 8/9, Aug./Sept. 1956.

CESTE I MOSTOVI

TECHNOLOGY

Zagreb, Yugoslavia

So: East European Accession, Vol. 6, No. 2, February 1957

ZMINSKI, ZENON

Stolarstwo budowlane. (Wyd. 2.) Warszawa, Budownictwo i Architektura. (Building
carpentry. 2d ed. chiefly diagrs.)
Vol. 1. 1956. 195 p.


So. East European Accessions List

Vol. 5, No. 9

September 1956

"APPROVED FOR RELEASE: 03/15/2001

CIA-RDP86-00513R002065320012-0



APPROVED FOR RELEASE: 03/15/2001

CIA-RDP86-00513R002065320012-0"

Zaslav, A. P. SILICA-BRICK ALUMINATE. U.S.S.R. Pat.
16,564, April 30, 1930. —Hauite is fused with Na_2CO_3 or
 CaO , and the melt is leached at 60 to 75°. SiO_2 is removed
from the filtrate by addition of CaO .

19

CO

Silica-free aluminate. A. P. Zerkow, Russ. 65,301,
Chem. 30, 1146. Bauxite is fused with Na_2CO_3 or CaO
and the melt is leached at 60-75°. SiO_2 is removed from
the filtrate by addn. of CaI

SEE ALSO 65114, 65115, 65116, 65117, 65118, 65119, 65120, 65121, 65122, 65123, 65124, 65125, 65126, 65127, 65128, 65129, 65130, 65131, 65132, 65133, 65134, 65135, 65136, 65137, 65138, 65139, 65140, 65141, 65142, 65143, 65144, 65145, 65146, 65147, 65148, 65149, 65150, 65151, 65152, 65153, 65154, 65155, 65156, 65157, 65158, 65159, 65160, 65161, 65162, 65163, 65164, 65165, 65166, 65167, 65168, 65169, 65170, 65171, 65172, 65173, 65174, 65175, 65176, 65177, 65178, 65179, 65180, 65181, 65182, 65183, 65184, 65185, 65186, 65187, 65188, 65189, 65190, 65191, 65192, 65193, 65194, 65195, 65196, 65197, 65198, 65199, 65200, 65201, 65202, 65203, 65204, 65205, 65206, 65207, 65208, 65209, 65210, 65211, 65212, 65213, 65214, 65215, 65216, 65217, 65218, 65219, 65220, 65221, 65222, 65223, 65224, 65225, 65226, 65227, 65228, 65229, 65230, 65231, 65232, 65233, 65234, 65235, 65236, 65237, 65238, 65239, 65240, 65241, 65242, 65243, 65244, 65245, 65246, 65247, 65248, 65249, 65250, 65251, 65252, 65253, 65254, 65255, 65256, 65257, 65258, 65259, 65260, 65261, 65262, 65263, 65264, 65265, 65266, 65267, 65268, 65269, 65270, 65271, 65272, 65273, 65274, 65275, 65276, 65277, 65278, 65279, 65280, 65281, 65282, 65283, 65284, 65285, 65286, 65287, 65288, 65289, 65290, 65291, 65292, 65293, 65294, 65295, 65296, 65297, 65298, 65299, 65300, 65301, 65302, 65303, 65304, 65305, 65306, 65307, 65308, 65309, 65310, 65311, 65312, 65313, 65314, 65315, 65316, 65317, 65318, 65319, 65320, 65321, 65322, 65323, 65324, 65325, 65326, 65327, 65328, 65329, 65330, 65331, 65332, 65333, 65334, 65335, 65336, 65337, 65338, 65339, 65340, 65341, 65342, 65343, 65344, 65345, 65346, 65347, 65348, 65349, 65350, 65351, 65352, 65353, 65354, 65355, 65356, 65357, 65358, 65359, 65360, 65361, 65362, 65363, 65364, 65365, 65366, 65367, 65368, 65369, 65370, 65371, 65372, 65373, 65374, 65375, 65376, 65377, 65378, 65379, 65380, 65381, 65382, 65383, 65384, 65385, 65386, 65387, 65388, 65389, 65390, 65391, 65392, 65393, 65394, 65395, 65396, 65397, 65398, 65399, 65400, 65401, 65402, 65403, 65404, 65405, 65406, 65407, 65408, 65409, 65410, 65411, 65412, 65413, 65414, 65415, 65416, 65417, 65418, 65419, 65420, 65421, 65422, 65423, 65424, 65425, 65426, 65427, 65428, 65429, 65430, 65431, 65432, 65433, 65434, 65435, 65436, 65437, 65438, 65439, 65440, 65441, 65442, 65443, 65444, 65445, 65446, 65447, 65448, 65449, 65450, 65451, 65452, 65453, 65454, 65455, 65456, 65457, 65458, 65459, 65460, 65461, 65462, 65463, 65464, 65465, 65466, 65467, 65468, 65469, 65470, 65471, 65472, 65473, 65474, 65475, 65476, 65477, 65478, 65479, 65480, 65481, 65482, 65483, 65484, 65485, 65486, 65487, 65488, 65489, 65490, 65491, 65492, 65493, 65494, 65495, 65496, 65497, 65498, 65499, 65500, 65501, 65502, 65503, 65504, 65505, 65506, 65507, 65508, 65509, 65510, 65511, 65512, 65513, 65514, 65515, 65516, 65517, 65518, 65519, 65520, 65521, 65522, 65523, 65524, 65525, 65526, 65527, 65528, 65529, 65530, 65531, 65532, 65533, 65534, 65535, 65536, 65537, 65538, 65539, 65540, 65541, 65542, 65543, 65544, 65545, 65546, 65547, 65548, 65549, 65550, 65551, 65552, 65553, 65554, 65555, 65556, 65557, 65558, 65559, 65560, 65561, 65562, 65563, 65564, 65565, 65566, 65567, 65568, 65569, 65570, 65571, 65572, 65573, 65574, 65575, 65576, 65577, 65578, 65579, 65580, 65581, 65582, 65583, 65584, 65585, 65586, 65587, 65588, 65589, 65590, 65591, 65592, 65593, 65594, 65595, 65596, 65597, 65598, 65599, 65600, 65601, 65602, 65603, 65604, 65605, 65606, 65607, 65608, 65609, 65610, 65611, 65612, 65613, 65614, 65615, 65616, 65617, 65618, 65619, 65620, 65621, 65622, 65623, 65624, 65625, 65626, 65627, 65628, 65629, 65630, 65631, 65632, 65633, 65634, 65635, 65636, 65637, 65638, 65639, 65640, 65641, 65642, 65643, 65644, 65645, 65646, 65647, 65648, 65649, 65650, 65651, 65652, 65653, 65654, 65655, 65656, 65657, 65658, 65659, 65660, 65661, 65662, 65663, 65664, 65665, 65666, 65667, 65668, 65669, 65670, 65671, 65672, 65673, 65674, 65675, 65676, 65677, 656

CA

SA

The problem of elements numbered 97 and 98. A. P. Zolotarev and V. I. Semishin. *Doklady Akad. Nauk S.S.S.R.* 74, 917-19 (1950); cf. preceding abstr. Rept. data concerning types of radiation and half-lives of some isotopes of at. nos. 97 and 98 verify predictions previously made by Z., and based on observed nuclear regularities. For element no. 97 the name "Mendelev" (Mn) is proposed. F. H. Murray.

1957

18

ca

Silicon-free aluminate. A. P. Zerkow, Russ. 40,251, 1904, 30, 1838. Reaction in fused with Na_2CO_3 or CaO and the melt is leached at 60-75°C. SiO_2 is removed from the filtrate by a soln. of CaCl_2 .

ASB-51.5 METALLURGICAL LITERATURE CLASSIFICATION

CA 3A

Periodic law of the atomic nuclei. Isotopes of the end of the periodic system. A. P. Zolotarev. *Doklady Akad. Nauk S.S.S.R.* 69, 100-101 (1960); U.S.S.R. 44, 82454. On a coordinate system (A, Z, N) isotopes near the end of the periodic system are plotted with lines through isotopes with a const. of $A-Z$. From rules announced in the preceding paper, the existence of 97^{100} , 98^{100} , 99^{100} , 100^{100} is indicated, with half-lives measured in yrs. The types of radiation and other properties can be predicted for isotopes of these atoms.

197

F. H. Murray

C.A.
1951

Periodic system of atomic nuclei. Specific charge of the nuclei and periodic law of the isotopes. A. I. Zussman. Doklady Akad. Nauk S.S.S.R. 64, 837-41 (1949); cf. C.A. 44, 82154. Isotopes are plotted on a coordinate system (A vs. Z/A) and the curves $A - 2Z = \text{const.}$ are drawn through them. The chart indicates the periodically changing structure and stability of the nuclei, and suggests types of radiation for unknown isotopes. Stable nuclei are plotted with coordinates (Z vs. Z/A), and 4 groups of elements are indicated by a smooth curve through them: Li-K, Ca-Rb, Sr-Ce, Ba-Ra. F. H. Murray

Periodic law of atomic nuclei. A. P. Znosko. Doklady Akad. Nauk S.S.S.R. 68, 1021-4 (1949) 29, 186d, 837-41. ... Periodicities of nuclear structure are examined, with the curve for $R = Z/1$ vs. Z for selected "principal" isotopes. Of 5 periods found, the 1st 4 contain 18, 18, 18, 32 elements and end in Ca, Fe, Ba, Ra, resp., of Group II of the periodic table. $R = 0.5$ for even Z in the 1st period, with lower but rising values for Z odd. In the 2nd period, R increases from Sc to Zn and drops from Ga to Se; the regularity in the 1st half period is attributed to the formation of α -particles with a const. no. of free neutrons, 4 for Z even,

5 for Z odd. In the 3rd period, Y-Ba, R is nearly const. to Cd, then falls steadily to Ra. Values of R for the "principal" isotopes are arranged in a supplementary table to show the chem. analogies; the growth of electron shells is described for each nuclear period. P. H. M.

539.155.2
3331. The periodic law of atomic nuclei. Specific nuclear charge and the periodic system of isotopes. A. P. Zolotarev. Dokl. Akad. Nauk, SSSR, 66 (No. 5) 837-42 (1949) in Russian.

In order to study regularities in nuclear properties the specific nuclear charge Z/A for every known isotope is plotted against A (atomic wt.). Analyses of the graphs obtained establish the existence of 4 periods of atomic nuclei apart from the O group and incomplete 6th group. All points in the same vertical line correspond to isobaric isotopes. The isotopes of each element can be joined by hyperbolae. The nuclei of the elements are disposed such that for $Z/A = 0.5$ all the nuclei having an isotopic number of 0 ($J = A - 2Z$) lie on a straight line. All the remaining nuclei lie on curves for which J can be $\pm 1, 2, 3$, etc., and which are called isotopic curves. These curves asymptotically approach the straight line $J = 0$, $Z/A = 0.5$, thus isotopic curves for $J = -1, -2$, etc., describe nuclei of positron emitters

and are mirror images of curves $J = 1, 2$, etc. Certain conclusions are drawn from these curves: (1) stable nuclei without exception lie in the comparatively narrow range of Z/A from 0.5 to 0.4; (2) it is established that a periodic alternation of β^- and β^+ activity can be regarded as a function of Z/A , so that a chemical element can be regarded as single isotopic period in the development of the nuclear series of a given charge having in view the successive formation of heavier nuclei; (3) the fundamental significance of α -bands and free neutrons in the structure of complex nuclei is stressed, the α -bands being related to Z/A .

Mr. KUCHEV

ASR-51A METALLURGICAL LITERATURE CLASSIFICATION

FROM: 1111111111

INDEXED: 1111111111

RELATIONS:

NEW EDITION

RELATION: 1111111111

3A
990.159.2
A 53
bb

3332. The periodic law of atomic nuclei. (Numerical analogues of elements in the periodic system of atomic nuclei. A. P. Zaslavskii, Dokl. Akad. Nauk. SSSR, 68 (No. 6) 1021-4 (1949) in Russian.)

[See preceding Abstr.] When the specific nuclear charge Z/A is plotted against Z for even and odd values of Z for the primary (i.e. the most abundant) isotopes within the limits of the 4 main periods there is observed a periodic repeated rise and fall in the value of Z/A from each even to the next odd element. The graph defines the beginning and end of each type of nuclear structure and serves as a basis for forming a periodic system of elements. In the periodic table constructed the physical periods of the atomic nuclei are disposed vertically while the type of atomic nuclei is shown horizontally. Alongside the symbol for each element the isotopic number $I = (A - 2Z)$ and Z/A are given for the primary isotopes. The development of the electronic structure in the periods is considered and it is concluded that the structure of the electronic shells of the atoms is connected with the change of structure and change in Z/A of complex nuclei in the system of elements, this change in Z/A should depend not only on the amount of free neutrons but also on the mutual distribution of particles in complex nuclei. W. NUCKEN

ASB-51A METALLOGICAL LITERATURE CLASSIFICATION

RESEARCH AND REPERTORY INDEX		519.119.1	
<p>5110. The periodic law of atomic nuclei. The isotopes at the end of the periodic system. A. F. Zaitsev, <i>Dokl. Akad. Nauk, SSSR</i>, 411 (No. 3) 163-71 (1948) in Russian.</p> <p>From the isotopic curves obtained by plotting Z/A against A [Abstr. 3331-1 (1953)] the possibility is demonstrated of forecasting nuclei of isotopes hitherto undiscovered and of estimating their $t_{1/2}$ period. The nuclei of 143 such isotopes are shown on the isotopic curves. Nuclei are postulated for elements 97, 98, 99, 100 with $t_{1/2}$ periods of the order of years, which indicates the possibility of isolating these isotopes for study. The most stable isotopes for elements 97-103 are 97^{267}, 98^{264}, 99^{261} and 100^{258}. It is also possible to forecast the type of radiation and other properties of each nuclei. The most stable nuclei of Pa are Pa^{231} and Pa^{233}, one of which is the "primary" nucleus. For At, Rn and Fr the most stable nuclei are not At^{210}, Rn^{222} and Fr^{223}, known at present, but At^{218}, Rn^{220}, Fr^{221}, which are also the "primary" isotopes of these elements.</p> <p style="text-align: right;">W. RECHINSKY</p>		<p>A 5 3 22</p>	
ASD-61A METALLURGICAL LITERATURE CLASSIFICATION			
RECORD SYMBOL		RECORD SYMBOL	
121043 N17 QV 143		121043 N17 QV 143	
121043 N17 QV 143		121043 N17 QV 143	

1301

THE PROBLEM OF ELEMENTS 97 AND 98. A. P. Zaitko and V. I. Semishin. Doklady Akad. Nauk S.S.S.R. 74, 917-19 (1970) Oct. 11. (In Russian)

The discovery of elements 97 and 98 was predicted by Zaitko (Doklady Akad. Nauk S.S.S.R. 69, No. 2, (1949)) on the basis of his periodic table of isotopes, which reveals periodic changes in the properties of isotopes as a function of the ratio Z/A and shows the number of possible isotopes and their radioactive characteristics (Doklady Akad. Nauk S.S.S.R. 69, No. 3, (1949)). Thus, the types of radioactivity

and approximate half-life periods of the newly discovered 97^{100} , 97^{101} , and 98^{100} have been foreseen. It is further predicted that long-lived isotopes 97^{102} , 97^{103} , 97^{104} , and 98^{100} will also be discovered and will permit an adequate study of those elements' chemical properties. The element 97, which follows "curium," should be named "Mendelevium" (Md).

ASB-SLR METALLURGICAL LITERATURE CLASSIFICATION

RESEARCH DIVISION

RELATIONS

RESEARCH DIVISION

COMMON ELEMENTS		COMMON VARIABLES WITH	
<p>1386 Periodic Law of Atom Nuclei. Chemically Analogous Elements in the Periodic Table of Atom Nuclei.</p> <p>A. P. Zpolko, Doklady Akad. Nauk S.S.S.R. 68, 1021-4(1949)(in Russian).</p> <p>Continuing the exposition of a periodic arrangement of nuclei, based on a system of curves in which the "specific charges" Z/A are plotted against A, (Doklady Akad. Nauk S.S.S.R. 68, 837(1949)), the author derives a table of elements uniting the features of his "structural" periods with those of the periodic reappearances of chemical properties. The periodic changes in the specific charge are tied in with the filling of the various electronic shells.</p>		<p>ASTM-A METALLURGICAL LITERATURE CLASSIFICATION</p>	
<p>FROM SOURCE</p> <p>CANJES #A</p>		<p>REMARKS</p> <p>RELATIONSHIP</p>	
<p>DATE</p> <p>1949</p>		<p>DATE</p> <p>1949</p>	

SUBJECTS AND PROPERTIES INDEX		METAL AND ALLOY PROPERTIES	
<p>1387 Periodic Law of Atom Nuclei, Specific Nuclear Charge and Periodic System of Isotopes. A. P. Zepko. Doklady Akad. Nauk S.S.S.R. 69, 637-41 (1969) (in Russian).</p> <p>By plotting "specific charges" Z/A (ordinates) against A (abscissas), a net formed by the following curves is obtained: (1) one set of hyperbolas having the coordinate axes as asymptotes and containing, each, all isotopes of an element; (2) two sets of hyperbolas, symmetrical about the line $Z/A = 0.5$ which is a common asymptote of the two sets, the other asymptote being the ordinate axis; these hyperbolas intersect the set (1) at points corresponding to β^+ emitters above the line $Z/A = 0.5$, and to β^- emitters below that line. The net of points thus obtained is found to reflect several periodic regularities in the structure and the stability of nuclei and to furnish clues for predictions concerning the existence of isotopes, the radiation emitted, the spin values, etc. Five periods are distinguished, each ending with an alkaline-earth metal: Ca, Sr, Ba, Ra, (the fifth period is unfinished).</p>			
<p>ASM - SIA METALLURGICAL LITERATURE CLASSIFICATION</p>			
<p>RECORD NUMBER</p>			
<p>RECORD DATE</p>			
<p>RECORD TYPE</p>			
<p>RECORD STATUS</p>			

6081 THE DETERMINATION OF SPEECH INTELLIGIBILITY
IS A FUNCTION OF THE FREQUENCY BANDS TRANSMITTED
IN CONNECTION WITH SPEECH. (Soviet Army, 1961)
by G. G. Gusev, Zhurnal Tekhnicheskoy Fiziki, No. 12, 1960, pp. 12-16.

Modern conceptions regarding the effect on speech articulation of the width of the frequency band transmitted are reviewed, and methods are indicated for determining articulation for narrow frequency bands. The results obtained are applied to the case of a standard security equipment, and the minimum number of frequency bands is determined, into which the main band should be split up to ensure that speech will remain intelligible on any one of these bands if this is not split up by an additional factor.

Some information is available on the relationship between the number of bands of the frequency band transmitted and the degree of intelligibility in the case of languages other than Russian. Based on P. D. F. experiments with the English language, it is expected that this will correctly be calculated for some languages.

5C

B-I-3

Dielectric constants of petroleum and its products. V. EMMER (Angew. Chem., 1930, No. 12, 68-69). The dielectric const. of petroleum and paraffins increase with increase in d , b.p., and mol. wt., and are approx. equal to ϵ_0 . For petroleum the temp. coeff. is negative. The dielectric const. of naphthenic acids increase with increase in d , b.p., surface tension, η_D , and mol. wt.

CHEMICAL ABSTRACTS

CA		ZNAMEVNSKIY, A.V.	
<p>Artificial-stone slabs. A. V. Znamevskij and I. V. Tavaneta. Russ. 41,427, Jan. 37, 1953. The slabs are prepd. from sand contg. clay, soln. of water glass and sand from superphosphate plants contg. F compds.</p>			
<p>ASB-SLA METALLURGICAL LITERATURE CLASSIFICATION</p>			

117 AND 2nd QUARTER

PROCESSED AND REPRODUCTION UNIT

17

Producing slag structural brick and investigating its properties. 1. In Zhuravko-Naymskiy, *Stroitel. Materialy* 1939, No. 4, 45-51. -- Industrial plant practice is discussed. E. B. Stefanovsky

ASB-SLA METALLURGICAL LITERATURE CLASSIFICATION

SECTION DIVISION

SECTION 1

SECTION 2

SECTION 3

SECTION 4

SECTION 5

SECTION 6

SECTION 7

SECTION 8

SECTION 9

SECTION 10

SECTION 11

SECTION 12

SECTION 13

SECTION 14

SECTION 15

SECTION 16

SECTION 17

SECTION 18

SECTION 19

SECTION 20

SECTION 21

SECTION 22

SECTION 23

SECTION 24

SECTION 25

SECTION 26

SECTION 27

SECTION 28

SECTION 29

SECTION 30

SECTION 31

SECTION 32

SECTION 33

SECTION 34

SECTION 35

SECTION 36

SECTION 37

SECTION 38

SECTION 39

SECTION 40

SECTION 41

SECTION 42

SECTION 43

SECTION 44

SECTION 45

SECTION 46

SECTION 47

SECTION 48

SECTION 49

SECTION 50

SECTION 51

SECTION 52

SECTION 53

SECTION 54

SECTION 55

SECTION 56

SECTION 57

SECTION 58

SECTION 59

SECTION 60

SECTION 61

SECTION 62

SECTION 63

SECTION 64

SECTION 65

SECTION 66

SECTION 67

SECTION 68

SECTION 69

SECTION 70

SECTION 71

SECTION 72

SECTION 73

SECTION 74

SECTION 75

SECTION 76

SECTION 77

SECTION 78

SECTION 79

SECTION 80

SECTION 81

SECTION 82

SECTION 83

SECTION 84

SECTION 85

SECTION 86

SECTION 87

SECTION 88

SECTION 89

SECTION 90

SECTION 91

SECTION 92

SECTION 93

SECTION 94

SECTION 95

SECTION 96

SECTION 97

SECTION 98

SECTION 99

SECTION 100

CA

20

Definition of manganese blast-furnace slags by the cement industry. I. I. Znachko-Mayorski. *Tekhnicheskii* 17, No. 3, 17-21(1981).—Strength tests on specimens made from cement produced with MnO-castg. slags from various sources (blast-furnace ferromanganese, casting pig iron, open-hearth and Bessemer iron) showed the suitability of these slags for cements. Details of tests and composition are given.

M. Horik

SYNTHESIS AND PROPERTIES INDEX										PROCESS AND PROPERTIES INDEX									
<p>CA</p> <p>Synthesis of sulfanilamide from chlorobenzene. A. M. Geigrovskii and K. I. Zinay, <i>Farmatsiya</i> 10, No. 2, 19-23(1947).--To make $\text{H}_2\text{NC}_6\text{H}_4\text{SO}_2\text{NH}_2$, com. PhCl is treated with ClSO_3H (mol. ratio 1:3) at 25°. The product is amidated with 25% NH_4OH (90-120 min. at room temp., 30 min. at $80-90^\circ$), then amidated with 25% NH_4OH in the presence of a Cu catalyst by autoclaving 5 hrs. at 150°. The final yield is about 30% of theory, calcd. on PhCl. Julian P. Smith</p>																			
<p>ASAC-51A METALLURGICAL LITERATURE CLASSIFICATION</p>																			
<p>SYNTHESIS AND PROPERTIES INDEX</p>										<p>PROCESS AND PROPERTIES INDEX</p>									
<p>SYNTHESIS AND PROPERTIES INDEX</p>										<p>PROCESS AND PROPERTIES INDEX</p>									

[illegible]

10

CA

11 AND 2ND ORDERS

PROCESSES AND PROPERTIES

New method of preparation of ethyl lactate. G. A. Kikhod and N. I. Shapov. *Khim. Farm. Prom.* 1913, 280-1. Ca lactate (709 g.) is dissolved in 600 cc. of hot H_2O , 250 g. of $CuSO_4$ in 300 cc. of boiling H_2O is added, and the Cu lactate is filtered off and dried. Cu lactate (184 g.) is heated with 100 g. of 95% alc. and 1.84 g. of 27% oleum with a reflux condenser until Congo paper shows a neutral reaction (6-8 hrs.), the $CuSO_4$ is filtered and the soln. fractionated at 40 mm. The yield is 64%.

L. Nasarevich

ASH-11-A METALLURGICAL LITERATURE CLASSIFICATION

CA

5

Synthesis of some homologs of cardiac glucosides. I.
 Synthesis of two isomers β -phenanthryl- β -D-glucosides
 S. I. Kanavskaya and K. A. Zinova (S. Ordzhonikidze All-
 Union Chem.-Pharm. Inst., Moscow). *Zhur. Obshch. Khim.* (J. Gen. Chem.) 21, 1721-4 (1951). — 3-Acetylphen-
 anthrene (3 g.), 1-2 g. coppered Zn shavings, and 45 ml.
 CCl₄ (freed of any H₂O by distn. of a portion) refluxed 4
 hrs. with a crystal of iodine and 2.3 g. BrCH₂CO₂Me, then
 treated with ice and dil. H₂SO₄, and the org. layer coned.,
 gave an oily mass of *Me* β -methyl-3-phenanthrenylhydracrylate,
 which, heated 3 hrs. with 80% HCO₂H, quenched in H₂O, and
 extrd. with Et₂O gave the corresponding acrylate (I), a non-
 crystallizable oil, saponified by alc. KOH to the free acid,
 m. (crude), 73-85°; Ag salt, solid, obtained in pure state.
 Refluxing 0.5 g. I with Ac₂O and 0.4 g. SeO₂ in a little H₂O 2
 hrs., and chromatography of the org. products on Al₂O₃ in
 CHCl₃ gave 0.15 g. β -(3-phenanthryl)- β -D-glucoside, m.
 177.5-8.5° (from CHCl₃-EtOH). 2-Acetylphenanthrene
 similarly gave the β -(2-phenanthryl) isomer, m. 199-200°
 (from CCl₄). The products do not have the physiol. ac-
 tivity of the cardiac glucosides. G. M. Komolodt

CH

PROCESSING AND PROPERTIES INDEX

7

Influence of sulfuric acid on the qualities of electrically welded spots in overhauling sulfuric acid equipment. *Sov. Znauchenko and V. Timolcev. Notant Neftepererabotki, No. 6, 4th (1956).* - Iron plates were given the following treatment before elec. welding: (1) original material, without any treatment, (2) metal covered with acid, (3) the same, washed with water and (4) the same, but neutralized with NaOH and washed with water. Mech. tests carried out with all welded plates gave the best results with samples (1) and (4), thus indicating that metal which was previously in contact with acid must first be neutralized and washed with water before welding was attempted. A. A. Bochtling

ASAC-SLA METALLURGICAL LITERATURE CLASSIFICATION

FROM 17103100

GROUP 1

GROUP 2

GROUP 3

GROUP 4

GROUP 5

GROUP 6

GROUP 7

GROUP 8

GROUP 9

GROUP 10

GROUP 11

GROUP 12

GROUP 13

GROUP 14

GROUP 15

GROUP 16

GROUP 17

GROUP 18

GROUP 19

GROUP 20

GROUP 21

GROUP 22

GROUP 23

GROUP 24

GROUP 25

GROUP 26

GROUP 27

GROUP 28

GROUP 29

GROUP 30

GROUP 31

GROUP 32

GROUP 33

GROUP 34

GROUP 35

GROUP 36

GROUP 37

GROUP 38

GROUP 39

GROUP 40

GROUP 41

GROUP 42

GROUP 43

GROUP 44

GROUP 45

GROUP 46

GROUP 47

GROUP 48

GROUP 49

GROUP 50

GROUP 51

GROUP 52

GROUP 53

GROUP 54

GROUP 55

GROUP 56

GROUP 57

GROUP 58

GROUP 59

GROUP 60

GROUP 61

GROUP 62

GROUP 63

GROUP 64

GROUP 65

GROUP 66

GROUP 67

GROUP 68

GROUP 69

GROUP 70

GROUP 71

GROUP 72

GROUP 73

GROUP 74

GROUP 75

GROUP 76

GROUP 77

GROUP 78

GROUP 79

GROUP 80

GROUP 81

GROUP 82

GROUP 83

GROUP 84

GROUP 85

GROUP 86

GROUP 87

GROUP 88

GROUP 89

GROUP 90

GROUP 91

GROUP 92

GROUP 93

GROUP 94

GROUP 95

GROUP 96

GROUP 97

GROUP 98

GROUP 99

GROUP 100

GROUP 101

GROUP 102

GROUP 103

GROUP 104

GROUP 105

GROUP 106

GROUP 107

GROUP 108

GROUP 109

GROUP 110

GROUP 111

GROUP 112

GROUP 113

GROUP 114

GROUP 115

GROUP 116

GROUP 117

GROUP 118

GROUP 119

GROUP 120

GROUP 121

GROUP 122

GROUP 123

GROUP 124

GROUP 125

GROUP 126

GROUP 127

GROUP 128

GROUP 129

GROUP 130

GROUP 131

GROUP 132

GROUP 133

GROUP 134

GROUP 135

GROUP 136

GROUP 137

GROUP 138

GROUP 139

GROUP 140

GROUP 141

GROUP 142

GROUP 143

GROUP 144

GROUP 145

GROUP 146

GROUP 147

GROUP 148

GROUP 149

GROUP 150

GROUP 151

GROUP 152

GROUP 153

GROUP 154

GROUP 155

GROUP 156

GROUP 157

GROUP 158

GROUP 159

GROUP 160

GROUP 161

GROUP 162

GROUP 163

GROUP 164

GROUP 165

GROUP 166

GROUP 167

GROUP 168

GROUP 169

GROUP 170

GROUP 171

GROUP 172

GROUP 173

GROUP 174

GROUP 175

GROUP 176

GROUP 177

GROUP 178

GROUP 179

GROUP 180

GROUP 181

GROUP 182

GROUP 183

GROUP 184

GROUP 185

GROUP 186

GROUP 187

GROUP 188

GROUP 189

GROUP 190

GROUP 191

GROUP 192

GROUP 193

GROUP 194

GROUP 195

GROUP 196

GROUP 197

GROUP 198

GROUP 199

GROUP 200

GROUP 201

GROUP 202

GROUP 203

GROUP 204

GROUP 205

GROUP 206

GROUP 207

GROUP 208

GROUP 209

GROUP 210

GROUP 211

GROUP 212

GROUP 213

GROUP 214

GROUP 215

GROUP 216

GROUP 217

GROUP 218

GROUP 219

GROUP 220

GROUP 221

GROUP 222

GROUP 223

GROUP 224

GROUP 225

GROUP 226

GROUP 227

GROUP 228

GROUP 229

GROUP 230

GROUP 231

GROUP 232

GROUP 233

GROUP 234

GROUP 235

GROUP 236

GROUP 237

GROUP 238

GROUP 239

GROUP 240

GROUP 241

GROUP 242

GROUP 243

GROUP 244

GROUP 245

GROUP 246

GROUP 247

GROUP 248

GROUP 249

GROUP 250

GROUP 251

GROUP 252

GROUP 253

GROUP 254

GROUP 255

GROUP 256

GROUP 257

GROUP 258

GROUP 259

GROUP 260

GROUP 261

GROUP 262

GROUP 263

GROUP 264

GROUP 265

GROUP 266

GROUP 267

GROUP 268

GROUP 269

GROUP 270

GROUP 271

GROUP 272

GROUP 273

GROUP 274

GROUP 275

GROUP 276

GROUP 277

GROUP 278

GROUP 279

GROUP 280

GROUP 281

GROUP 282

GROUP 283

GROUP 284

GROUP 285

GROUP 286

GROUP 287

GROUP 288

GROUP 289

GROUP 290

GROUP 291

GROUP 292

GROUP 293

GROUP 294

GROUP 295

GROUP 296

GROUP 297

GROUP 298

GROUP 299

GROUP 300

GROUP 301

GROUP 302

GROUP 303

GROUP 304

GROUP 305

GROUP 306

GROUP 307

GROUP 308

GROUP 309

GROUP 310

GROUP 311

GROUP 312

GROUP 313

GROUP 314

GROUP 315

GROUP 316

GROUP 317

GROUP 318

GROUP 319

GROUP 320

GROUP 321

GROUP 322

GROUP 323

GROUP 324

GROUP 325

GROUP 326

GROUP 327

GROUP 328

GROUP 329

GROUP 330

GROUP 331

GROUP 332

GROUP 333

GROUP 334

GROUP 335

GROUP 336

GROUP 337

GROUP 338

GROUP 339

GROUP 340

GROUP 341

GROUP 342

GROUP 343

GROUP 344

GROUP 345

GROUP 346

GROUP 347

GROUP 348

GROUP 349

GROUP 350

GROUP 351

GROUP 352

GROUP 353

GROUP 354

GROUP 355

GROUP 356

GROUP 357

GROUP 358

GROUP 359

GROUP 360

GROUP 361

GROUP 362

GROUP 363

GROUP 364

GROUP 365

GROUP 366

GROUP 367

GROUP 368

GROUP 369

GROUP 370

GROUP 371

GROUP 372

GROUP 373

GROUP 374

GROUP 375

GROUP 376

GROUP 377

GROUP 378

GROUP 379

GROUP 380

GROUP 381

GROUP 382

GROUP 383

GROUP 384

GROUP 385

GROUP 386

GROUP 387

GROUP 388

GROUP 389

GROUP 390

GROUP 391

GROUP 392

GROUP 393

GROUP 394

GROUP 395

GROUP 396

<

PROCESS AND PROPERTIES INDEX																									
1ST AND 2ND GROUPS													3RD AND 4TH GROUPS												
<p><i>CA</i></p> <p>The application of high-chromium cast iron for the disks of centrifugal water pumps. S. Zhabchenko, <i>Neftepererabotki</i> 3, No. 2, 78 (1955). The corrosion and wear of the above disks were greatly reduced by Fe-Cr 64.0, Fe-Si 2.7 and iron cuttings 31.3% for the disks. The Fe-Cr contained C 2.06, Cr 53.08 and Si 0.10%, while Fe-Si was composed of C 0.094 and Si 49.02%.</p> <p>A. A. Bochtling</p>																									
<p>ASB-SLA METALLURGICAL LITERATURE CLASSIFICATION</p> <p>RECORD NUMBER</p>																									

٢٠

22

Hydrolysis of salts present in oil-well waters at elevated temperatures. V. F. Negreyev and S. G. Znaichenko. *Novosti Neftesverobnosti* 3, No. 17, 7-8 (1933).—The salts in some well waters produce HCl according to the following equations: (1) $MgSO_4 + H_2O + 2NaCl = Na_2SO_4 + MgO + 2HCl$; and (2) $MgCO_3 + 2NaCl + H_2O = Na_2CO_3 + MgO + 2HCl$. Investigations were carried out with waters derived from various sections of the refining equipment (autoclaves were used). The water was distilled after certain temps. were reached. The analytical data on the distillate indicate that acid makes its appearance in water heated to 170–180°, corrosion increasing rapidly at a temp. in excess of 220°. The water remaining in the autoclave slightly increased its alkali, evidently through the formation of MgO which at the beginning reacted with some of the HCl, thus lowering the apparent acidity. A good water-oil separ. in the oil fields is recommended, and in the refinery. Chem. agents to protect the refinery app. are also recommended.

A. A. Bochtlik

PROCESSING AND PROPERTIES INDEX									
<p>Aluminum plating for the protection of metals from high-temperature oxidation. V. P. Negreyev and S. G. Zaitchenko. <i>Met. T.</i>, No. 5, 24-5 (1936).--The advantages of Al-plating of various parts of equipment exposed to high temps. are discussed. A. A. Kochetkov.</p>									
<p>ASH-11A METALLURGICAL LITERATURE CLASSIFICATION</p>									

BC

B-I-1

Application of high-chromium cast iron for discs of centrifugal water pumps. S. Znaitschenko (Nov. No. 1, 1936, 8, No. 1, 7-8). —The corrosion and wear were greatly reduced by using Fe-Cr 68-0, Fe-Si 2-7, and Fe cuttings 21-3% for the discs. The Fe-Cr had C 2-08, Cr 63-08, and Si 0-18%; the Fe-Cr had C 0-084 and Si 49-02%. Ch. Ass. (e)

ASM-A METALLURGICAL LITERATURE CLASSIFICATION

SECTION	SECTION	SECTION	SECTION
1	2	3	4
5	6	7	8
9	10	11	12
13	14	15	16
17	18	19	20
21	22	23	24
25	26	27	28
29	30	31	32
33	34	35	36
37	38	39	40
41	42	43	44
45	46	47	48
49	50	51	52
53	54	55	56
57	58	59	60
61	62	63	64
65	66	67	68
69	70	71	72
73	74	75	76
77	78	79	80
81	82	83	84
85	86	87	88
89	90	91	92
93	94	95	96
97	98	99	100

PROPERTY AND PROPERTY INDEX	
BC	B-I-8
<p>Influence of sulphuric acid on qualities of electrically welded joints in overhauling sulphuric acid equipment. B. Zaslavskiy and V. Timofeev (Nov. Nef., 1956, 8, No. 6, 4-5). Title showed that metal which was previously in contact with acid must first be neutralised and washed with H₂O before welding is attempted. (U. S. A. 6)</p>	
<p>ASM 314 METALLURGICAL LITERATURE CLASSIFICATION</p>	
<p>1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100</p>	

ZNAMENSKIY, A. I.

Wind Erosion and the Relief of Sand Deserts, Thesis for degree of Cand.
Geographical Sci. Sub 15 April 49, Inst of Geography, Acad Sci USSR.

Summary 82, 18 Dec 52, Dissertations Presented for Degrees in Science and Engin-
eering in Moscow in 1949. From Vechernyaya Moskva, Jan-Dec 1949.

ZNAMENSKAYA, A.K.,
V. A. MASLOVSKII, Caoutchouc and Rubber 1938, No.4, 76-82

CA

11A

THE SIGNIFICANCE OF THE SIX ASH ELEMENTS IN THE LIFE ACTIVITIES OF PLANTS. I. A. Znamenskaya. *Russk. Zashch.* 26, 330-337 (1930); *Herb. Zashch.* 10, 47-50 (1941).

—An attempt to coordinate the data which have been published during the past decade on the participation of K, Ca, Mg, Fe, S and P in the bio. functions of higher plants. S. Solovetshik

ASH-SLA METALLURGICAL LITERATURE CLASSIFICATION

15

CA

Gas-volumetric determination of potassium in soils.
V. M. Gortikov and L. A. Zaymenitskaya. *Proc. Acad. Sci. USSR, Div. Chem. Sci., Earth Sci. Ser.* 19, 57-58 (1953).—If the conditions of pptn. (temp., vol. and concn.) are similar for both the known and standard KCl, the method of Jander and Fisher (C. A. 22, 3370; 23, 4639) is rapid and sufficiently accurate for the detn. of K in most soil exts. B. C. A.

COMMON ELEMENTS

OPEN MATERIALS INDEX

ASM-SLA METALLURGICAL LITERATURE CLASSIFICATION

REPORT SYMBOLS		SUBJECT MATTER		CLASSIFICATION		AUTHOR		TITLE		JOURNAL		YEAR		VOLUME		PAGE		NOTES	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20

15

CH

Gas-volumetric determination of potassium in soils.
V. M. Gortikov and L. A. Znamenskaya. *Proc. Leningrad Dep. Inst. Fer.* 10, 51-53 (1958). The conditions of potn. (temp., vol. and concn.) are similar for both unknown and standard KCl, the method of Jander and Haber (C. A. 22, 3370; 23, 4534) is rapid and sufficiently accurate for the detn. of K in most soil exts. B. C. A.

ASB-SLA METALLURGICAL LITERATURE CLASSIFICATION

SEARCHED INDEXED

RECEIVED

1958